

United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.usplo.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.	
10/813,779	03/31/2004	Masakazu Murase	5000-5161	5228	
46850	7590 06/01/2005		EXAMINER		
MENDELSOHN & ASSOCIATES, P.C. 1500 JOHN F. KENNEDY BLVD., SUITE 405			NORMAN, MARC E		
	HIA, PA 19102	0112 103	ART UNIT	PAPER NUMBER	
			3744		
			DATE MAILED: 06/01/2009	5	

Please find below and/or attached an Office communication concerning this application or proceeding.

	Application No.	Applicant(s)					
Office Astion Comments	10/813,779	MURASE ET AL.					
Office Action Summary	Examiner	Art Unit					
	Marc E. Norman	3744					
The MAILING DATE of this communicate Period for Reply	tion appears on the cover sheet with	the correspondence addre	iss				
A SHORTENED STATUTORY PERIOD FOR THE MAILING DATE OF THIS COMMUNICA - Extensions of time may be available under the provisions of 3 after SIX (6) MONTHS from the mailing date of this communic - If the period for reply specified above is less than thirty (30) de - If NO period for reply is specified above, the maximum statuto - Failure to reply within the set or extended period for reply will, Any reply received by the Office later than three months after the earned patent term adjustment. See 37 CFR 1.704(b).	TION. 7 CFR 1.136(a). In no event, however, may a replation. ays, a reply within the statutory minimum of thirty (rry period will apply and will expire SIX (6) MONTH by statute, cause the application to become ABAI	ly be timely filed (30) days will be considered timely. HS from the mailing date of this comm NDONED (35 U.S.C. § 133).	nunication.				
Status							
1)⊠ Responsive to communication(s) filed o	on <i>31 March 2004</i> .						
	☐ This action is non-final.		•				
	Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under <i>Ex parte Quayle</i> , 1935 C.D. 11, 453 O.G. 213.						
Disposition of Claims							
4) ☐ Claim(s) 1-19 is/are pending in the apple 4a) Of the above claim(s) is/are versions 5) ☐ Claim(s) is/are allowed. 6) ☐ Claim(s) is/are rejected. 7) ☐ Claim(s) is/are objected to. 8) ☐ Claim(s) 1-19 are subject to restriction is	withdrawn from consideration.						
Application Papers							
9)☐ The specification is objected to by the E	xaminer.						
10)⊠ The drawing(s) filed on <u>31 March 2004</u> i	10)⊠ The drawing(s) filed on <u>31 March 2004</u> is/are: a)⊠ accepted or b)□ objected to by the Examiner.						
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).							
Replacement drawing sheet(s) including the 11) The oath or declaration is objected to by	•	•					
Priority under 35 U.S.C. § 119							
 12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some * c) None of: 1. Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No 3. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)). * See the attached detailed Office action for a list of the certified copies not received. 							
Attachment(s)							
Notice of References Cited (PTO-892) Notice of Draftsperson's Patent Drawing Review (PTO-		Mail Date					
3) Information Disclosure Statement(s) (PTO-1449 or PTO Paper No(s)/Mail Date 6/28/04; 9/13/04.		ormal Patent Application (PTO-15	i2)				

Application/Control Number: 10/813,779

Art Unit: 3744

DETAILED ACTION

Election/Restrictions

This application contains claims directed to the following patentably distinct species of the claimed invention:

- I. Claims 2, 3, 15, and 16, wherein the variable discharge rate mechanism is a variable speed mechanism.
- II. Claims 4, 5, 17, and 18, wherein the variable discharge rate mechanism is a variable displacement mechanism.

Applicant is required under 35 U.S.C. 121 to elect a single disclosed species for prosecution on the merits to which the claims shall be restricted if no generic claim is finally held to be allowable. Currently, claims 1, 6-14, and 19 are generic.

Applicant is advised that a reply to this requirement must include an identification of the species that is elected consonant with this requirement, and a listing of all claims readable thereon, including any claims subsequently added. An argument that a claim is allowable or that all claims are generic is considered nonresponsive unless accompanied by an election.

Upon the allowance of a generic claim, applicant will be entitled to consideration of claims to additional species which are written in dependent form or otherwise include all the limitations of an allowed generic claim as provided by 37 CFR 1.141. If claims are added after the election, applicant must indicate which are readable upon the elected species. MPEP § 809.02(a).

Application/Control Number: 10/813,779

Art Unit: 3744

Should applicant traverse on the ground that the species are not patentably distinct, applicant should submit evidence or identify such evidence now of record showing the species to be obvious variants or clearly admit on the record that this is the case. In either instance, if the examiner finds one of the inventions unpatentable over the prior art, the evidence or admission may be used in a rejection under 35 U.S.C. 103(a) of the other invention.

Applicant is advised that the reply to this requirement to be complete must include an election of the invention to be examined even though the requirement be traversed (37 CFR 1.143).

Applicant is reminded that upon the cancellation of claims to a non-elected invention, the inventorship must be amended in compliance with 37 CFR 1.48(b) if one or more of the currently named inventors is no longer an inventor of at least one claim remaining in the application. Any amendment of inventorship must be accompanied by a request under 37 CFR 1.48(b) and by the fee required under 37 CFR 1.17(i).

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Marc E. Norman whose telephone number is 571-272-4812. The examiner can normally be reached on Mon.-Fri., 8:30-5:00.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Cheryl Tyler can be reached on 571-272-4834. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Application/Control Number: 10/813,779

Art Unit: 3744

Page 4

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

MN

MARC NORMAN
PRIMARY EXAMINER